


# BLÜCHER® Drain Multi

COMPACT · FLEXIBLE · APPROVED



EN 1253 APPROVED



**BLÜCHER®**

KEEPING UP THE FLOW

STAINLESS STEEL DRAINAGE SYSTEMS

# BLÜCHER® Drain

## Flexible solutions provide numerous advantages

The ability to create multiple drain solutions using the same lower part provides numerous advantages, since the same lower part can be used with a large variety of mounting sets.

The stainless steel lower part which is casted into the concrete early in the building process, is protected by a cover that provides a smooth surface for the workers during building. In addition, the stainless steel membrane flanges retain their shape until tiles or other final flooring has been installed.

## Mounting sets for all floors

Available for tiled floors are mounting sets with square frames 150x150 mm and 200x200 mm.

For concrete or epoxy flooring, a circular mounting set designed specifically for this type of flooring is available.

For vinyl floors we offer a circular mounting set with clamping flange.

## Liquid and sheet membrane

It is a well-known fact that all liquid membrane material adheres better to stainless steel, therefore stainless steel drains are the best solution for floors with this type of membrane.

In addition, a clamping flange for sheet membranes is also available as a standard solution.

## Suitable for heavy weight loads

In areas where flow capacity requirements can be met using a shower drain but where traffic by trolleys and other light vehicles causes a heavier weight load, the HygienicPro cast stainless steel grating is the perfect solution. This grating is available for all mounting sets with square or circular frame.

## Gratings for any bathroom design

BLÜCHER combines functionality with design and offers as standard a large variety of design gratings.

In addition, gratings designed by artists or with logos can be supplied for larger projects.



**LOWER PART FOR  
LIQUID MEMBRANES**



**LOWER PART FOR  
ALL TYPES OF FLOORING**



**COMPACT  
WATER TRAP  
50 MM WATER SEAL HEIGHT**

## Design gratings



Vienna



Copenhagen



Athens



Detroit



New York



Oslo

### Approved drains - even for low built-in height

BLÜCHER have succeeded in designed the lowest possible drain approved in accordance with EN 1253. The drain is suitable for use where installation height is limited while maintaining the 50 mm water seal height as specified in EN 1253. A water seal height of 50 mm reduces the risk of unpleasant odours from the drain, and with the low built-in height there is no need to ask the authorities for exemptions to use drain products not complying with the standards.

Choosing a drain with the best functionality is a good investment, because replacing a wrong solution later on will be almost impossible. Therefore professionals go for the secure solution which is approved by authorities and designed by professionals.

Offering the most compact approved drain with the best functionality, which is also the most flexible solution suitable for any floor type, and allowing individual design, the BLÜCHER® Drain Multi is the ideal choice for any building or bathroom.

BLÜCHER® DRAIN MULTI WITH  
HYGIENIC-PRO GRATING


BLÜCHER® Drain Multi mounting sets are available in various shapes and for a range of applications



Circular for concrete



Circular for vinyl



Square 150 mm



Square 200 mm



HygienicPro grating  
for heavier weight  
loads  
150 mm, 200 mm  
and circular

# BLÜCHER®

At BLÜCHER® more than 300 employees create an annual turnover of more than 50 million euro.

Through know-how, dedicated service and common sense we develop, produce and market high quality stainless steel drainage solutions for customers within the housing, commercial, industrial and marine sectors all over the world.

Find your local BLÜCHER® specialist at [www.blucher.com](http://www.blucher.com)

**BLÜCHER® EuroPipe**

**BLÜCHER® Channel**

**BLÜCHER® Drain**



KEEPING UP THE FLOW

BLÜCHER · DK-7480 Vildbjerg · Tel. +45 99 92 08 00 · [mail@blucher.com](mailto:mail@blucher.com) · [www.blucher.com](http://www.blucher.com)